

1 January 2007

## Bibliography

NAKAKI, Toshio

### Index

Review articles (written in English)·····	2
Original articles (written in English)·····	3
Book chapters (written in English)·····	13
Book chapters (written in Japanese)·····	15
Review articles (written in Japanese)·····	16
Original articles (written in Japanese)·····	19

Review article (written in English)

1. Kato, R. and Nakaki, T.: Alpha-2 adrenoceptors beyond cAMP generation: Islets of Langerhans and intestinal epithelium. *Trends Pharmacol. Sci.* 4: 34-36, 1983.
2. Nakaki, T. : Physiological and clinical significance of nitric oxide. *Keio J. Med.* 43: 15-26, 1994.
3. Nakaki, T. and Kato, R.: Beneficial circulatory effect of L-arginine. *Jpn. J. Pharmacol.* 66: 167-171, 1994.
4. Shintani, F., Nakaki, T., Kanba, S., Kato, R. and Asai, M.: Role of interleukin-1 in stress responses: A putative neurotransmitter. *Mol. Neurobiol.*10: 47-71, 1995.
5. Nakaki, T. and Kato, R.: NO in vascular remodeling. *Jpn. Heart J.*, 3: 17-22, 1996.
6. Nakaki, T., Mishima, A., Fujii, T., Suzuki, E. and Shintani, F.: Nitric Oxide and Neurodegenerative Diseases. *Current Topics Pharmacol.* 3: 157-163, 1997.
7. Nakaki, T. and Fujii, T.: Nitration modifying function of proteins, hormones and neurotransmitters. *Jpn. J. Pharmacol.* 79: 125-129, 1999.

Original articles (written in English)

1. Nakadate, T., Nakaki, T., Muraki, T. and Kato, R.: Adrenergic regulation of blood glucose levels: Possible involvement of postsynaptic alpha-2 type adrenergic receptors regulating insulin release. *J. Pharmacol. Exp. Ther.* 215: 226-230, 1980.
2. Nakadate, T., Nakaki, T., Muraki, T. and Kato, R.: Regulation of plasma insulin level by alpha-2 adrenergic receptors. *Eur. J. Pharmacol.* 65: 421-424, 1980.
3. Nakaki, T., Nakadate, T. and Kato, R.:  $\alpha$ 2-adrenoceptors modulating insulin release from isolated pancreatic islets. *Naunyn-Schmiedeberg's Arch. Pharmacol.* 313: 151-153, 1980.
4. Nakaki, T., Chang, P. C., Tokunaga, Y. and Kato, R.: Alpha-2 adrenoceptors modulating diarrhoea in morphine-dependent rats. *J. Pharm. Pharmacol.* 33: 397-399, 1981.
5. Nakadate, T., Nakaki, T., Muraki, T. and Kato, R.: Adrenergic receptors and the onset of streptozotocin-induced diabetes in mice. *Eur. J. Pharmacol.* 75: 45-51, 1981.
6. Nakaki, T., Muraki, T., Tokunaga, Y. and Kato, R.: Plasma cyclic AMP in the morphine-tolerant rat. *Biochem. Pharmacol.* 30: 2217-2220, 1981.
7. Nakaki, T., Muraki, T., Tokunaga, Y. and Kato, R.: Plasma cyclic AMP in the pethidine-dependent rat. *Jpn. J. Pharmacol.* 31: 1081-1083, 1981.
8. Nakaki, T., Nakadate, T., Ishii, K. and Kato, R.: Postsynaptic alpha-2 adrenergic receptors in isolated rat islets of Langerhans: Inhibition of insulin release and cyclic 3':5'-adenosine monophosphate accumulation. *J. Pharmacol. Exp. Ther.* 216: 607-612, 1981.
9. Nakaki, T., Saito, M., Nakadate, T., Tokunaga, Y. and Kato, R.: Acute physical dependence induced by continuous intravenous infusion of morphine or meperidine in the rat. *Psychopharmacology* 73: 215-218, 1981.
10. Nakadate, T., Kubota, K., Nakaki, T. and Kato, R.: Effect of chlorpromazine on insulin release in mice: comparison between in vivo and in vitro. *Jpn. J. Pharmacol.* 32: 950-953, 1982.
11. Nakadate, T., Nakaki, T., Muraki, T. and Kato, R.: Inhibitory alpha-2 adrenergic mechanism regulating gastric secretion in pylorus-ligated rats. *Naunyn-Schmiedeberg's Arch. Pharmacol.* 320: 170-174, 1982.
12. Nakaki, T., Nakadate, T., Yamamoto, S. and Kato, R.: Alpha-2 adrenergic inhibition of intestinal secretion induced by prostaglandin E1, vasoactive intestinal peptide and dibutyryl cyclic AMP in rat jejunum. *J. Pharmacol Exp. Ther.* 220: 637-641,

1982.

13. Nakaki, T., Nakadate, T., Yamamoto, S. and Kato, R.: Alpha-2 adrenoceptors inhibit the cholera toxin-induced intestinal fluid accumulation. *Naunyn-Schmiedeberg's Arch. Pharmacol.* 318: 181-184, 1982.

14. Yamamoto, S., Nakadate, T., Nakaki, T., Ishii, K. and Kato, R.: Prevention of glucose-induced insulin secretion by lipoxygenase inhibitor. *Eur. J. Pharmacol.* 78: 225-228, 1982.

15. Yamamoto, S., Nakadate, T., Nakaki, T., Ishii, K. and Kato, R.: Tumor promoter 12-O-tetradecanoylphorbol-13-acetate-induced insulin secretion: inhibition by phospholipase A2 and lipoxygenase inhibitors. *Biochem. Biophys. Res. Commun.* 105: 759-765, 1982.

16. Nakadate, T., Nakaki, T., Yamamoto, S. and Kato, R.: Protection against alloxan-induced diabetes in mice by stimulation of alpha-2 adrenergic receptors. *Life Sci.* 32: 697-702, 1983.

17. Nakaki, T., Nakadate, T., Yamamoto, S. and Kato, R.: Alpha-2 adrenergic receptor in intestinal epithelial cells: Identification by [<sup>3</sup>H]yohimbine and failure to inhibit cyclic AMP accumulation. *Mol. Pharmacol.* 23: 228-234, 1983.

18. Nakaki, T., Nakadate, T., Yamamoto, S. and Kato, R.: Inhibition of dibutyryl cyclic AMP-induced insulin release by alpha-2 adrenergic stimulation. *Life Sci.* 32: 191-195, 1983.

19. Yamamoto, S., Ishii, M., Nakadate, T., Nakaki, T. and Kato, R.: Modulation of insulin secretion by lipoxygenase products of arachidonic acid: Relation to lipoxygenase activity of pancreatic islets. *J. Biol. Chem.* 258: 12149-12152, 1983.

20. Yamamoto, S., Nakaki, T., Nakadate, T. and Kato, R.: Insulinotropic effects of exogenous phospholipase A2 and C isolated pancreatic islets. *Eur. J. Pharmacol.* 86: 121-124, 1983.

21. Mita, S., Nakaki, T., Yamamoto, S. and Kato, R.: Phosphorylation and dephosphorylation of human promyelocytic leukemia cell (HL-60) proteins by tumor promoter. *Exp. Cell Res.* 154: 492-499, 1984.

22. Muraki, T., Nakaki, T. and Kato, R.: Predominance of alpha-2 adrenoceptors in porcine thyroid: biochemical and pharmacological correlations. *Endocrinology* 114: 1645-1651, 1984.

23. Nakaki, T., Mita, S., Yamamoto, S., Nakadate, T. and Kato, R.: Inhibition by palmitoylcarnitine of adhesion and morphological changes in HL-60 cells induced by 12-O-tetradecanoylphorbol-13-acetate. *Cancer Res.* 44: 1908-1912, 1984. 8.426

24. Roth, B. L., Nakaki, T., Chuang, D. M. and Costa, E.: Aortic recognition sites

for serotonin (5HT<sub>2</sub>) are coupled to phospholipase C and modulate phosphatidylinositol turnover. *Neuropharmacology* 23: 1223-1225, 1984.

25. Nakaki, T., Roth, B. L., Chuang, D. M. and Costa, E.: 5-Hydroxytryptamine uptake and imipramine binding sites in neurotumor NCB-20 cells. *J. Neurochem.* 45: 920-925, 1985.

26. Nakaki, T., Roth, B. L., Chuang, D. M. and Costa, E.: Phasic and tonic components in 5HT<sub>2</sub> receptor-mediated rat aorta contraction: participation of Ca<sup>++</sup> channels and phospholipase C. *J. Pharmacol. Exp. Ther.* 234: 442-446, 1985.

27. Roth, B. L., Nakaki, T., Chuang, D. M. and Costa, E.: 5-Hydroxytryptamine<sub>2</sub> receptors coupled to phospholipase C in rat aorta: Modulation of phosphoinositide turnover by phorbol ester. *J. Pharmacol. Exp. Ther.* 238: 480-485, 1986.

28. Muraki, T., Nakaki, T. and Kato, R.: Alpha-1-adrenoceptor production of inositol phosphates mediates the inhibition of thyroxine release from the mouse thyroid. *J. Endocrinol.* 115: 289-293, 1987.

29. Sasakawa, N., Nakaki, T., Yamamoto, S. and Kato, R.: Inositol trisphosphate accumulation by high K<sup>+</sup> stimulation in cultured adrenal chromaffin cells. *FEBS Lett.* 223: 413-416, 1987.

30. Nakaki, T., Sasakawa, N., Yamamoto, S. and Kato, R.: Functional shift from muscarinic to nicotinic cholinergic receptors involved in inositol trisphosphate and cyclic GMP accumulation during the primary culture of adrenal chromaffin cells. *Biochem. J.* 251: 397-403, 1988.

31. Nakaki, T., Wise, B. C. and Chuang, D. M.: Substrates for protein kinase C in a cell free preparation of rat aorta smooth muscles. *Life Sci.* 42: 1315-1321, 1988.

32. Sasakawa, N., Yamamoto, S., Nakaki, T. and Kato, R.: Effects of islet-activating protein on the catecholamine release, Ca<sup>2+</sup> mobilization and inositol trisphosphate formation in cultured adrenal chromaffin cells. *Biochem. Pharmacol.* 37: 2485-2487, 1988.

33. Yamamoto, S., Kiyoto, I., Aizu, E., Sasakawa, N., Nakaki, T. and Kato, R.: Comparison of some biochemical properties of epidermis in tumor promotion-susceptible and -resistant strains of mice. *Jpn. J. Pharmacol.* 47: 45-49, 1988.

34. Nakaki, T., Wise, B. C., Chuang, D. and Kato, R.: Serotonin-stimulated protein phosphorylation in aortic smooth muscle cells. *Experientia* 45: 879-881, 1989.

35. Nakaki, T., Nakayama, M., Yamamoto, S. and Kato, R.: Endothelin-mediated stimulation of DNA synthesis in vascular smooth muscle cells. *Biochem. Biophys. Res. Commun.* 158: 880-883, 1989.

36. Sasakawa, N., Nakaki, T., Yamamoto, S. and Kato, R.: Calcium uptake-dependent and -independent mechanisms of inositol trisphosphate formation in adrenal chromaffin cells: comparative studies with high  $K^+$ , carbamylcholine and angiotensin II. *Cell. Signal.* 1: 75-84, 1989.
37. Sasakawa, N., Nakaki, T., Yamamoto, S. and Kato, R.: Stimulation by ATP of inositol trisphosphate accumulation and calcium mobilization in cultured adrenal chromaffin cells. *J. Neurochem.* 52: 441-447, 1989.
38. Nakaki, T., Nakayama, M. and Kato, R.: Inhibition by nitric oxide and nitric oxide-producing vasodilators of DNA synthesis in vascular smooth muscle cells. *Eur. J. Pharmacol.* 189: 347-353, 1990.
39. Nakaki, T., Hishikawa, K., Suzuki, H., Saruta, T. and Kato, R.: L-arginine-induced hypotension. *Lancet* 336: 696, 1990.
40. Nakaki, T., Otsuka, Y. and Kato, R.: Tension-induced release of endothelium-derived relaxing factor: Possible role in establishment of desensitization of norepinephrine-induced contraction in rat aorta. *Jpn. J. Pharmacol.* 54: 491-494, 1990.
41. Nakaki, T., Nakayama, M., Yamamoto, S. and Kato, R.: Alpha1-adrenergic stimulation and beta2-adrenergic inhibition of DNA synthesis in vascular smooth muscle cells. *Mol. Pharmacol.* 37: 30-36, 1990.
42. Miyachi, E.-I., Murakami, M. and Nakaki, T.: Arginine blocks gap junctions between retinal horizontal cells. *Neuroreport* 1: 107-110, 1990.
43. Sasakawa, N., Nakaki, T. and Kato, R.: Inositol pentakisphosphate increased by  $K^+$  and receptor stimulation in cultured adrenal chromaffin cells. *Eur. J. Pharmacol.* 183: 766, 1990.
44. Sasakawa, N., Nakaki, T. and Kato, R.: Rapid increase in inositol pentakisphosphate accumulation by nicotine in cultured adrenal chromaffin cells. *FEBS Lett.* 261: 378-380, 1990.
45. Sasakawa, N., Nakaki, T. and Kato, R.: Stimulus-responsive and rapid formation of inositol pentakisphosphate in cultured adrenal chromaffin cells. *J. Biol. Chem.* 265: 17700-17705, 1990.
46. Hishikawa, K., Nakaki, T., Suzuki, H., Saruta, T. and Kato, R.: L-arginine-induced hypotension. *Lancet* 337: 683-684, 1991. 16.135
47. Kanba, S., Sasakawa, N., Nakaki, T., Kanba-Shimizu, K., Yagi, G., Kato, R. and Richelson, E.: Two Possibly distinct PGE1 receptors in N1E-115 clone: One mediating inositol trisphosphate formation, cyclic GMP formation, and intracellular calcium mobilization; the other mediating cyclic AMP formation. *J. Neurochem.* 57: 2011-2015, 1991.

48. Kanba, S., Yagi, G., Nakaki, T., Kato, R. and Richelson, E.: Potentiation by a sodium channel activator of effects of lithium ion on cyclic AMP, cyclic GMP and inositol phosphates. *Neuropharmacology* 30: 497-500, 1991.
49. Nakaki, T., Ohta, M. and Kato, R.: Inhibition by prostacyclin and carbacyclins of endothelin-induced DNA synthesis in cultured vascular smooth muscle cells. *Prostaglandins Leukot. Essent. Fatty Acids* 44: 237-239, 1991.
50. Shinjoh, M., Nakaki, T., Otsuka, Y., Sasakawa, N. and Kato, R.: Vascular smooth muscle contraction induced by Na<sup>+</sup> channel activators, veratridine and batrachotoxin. *Eur. J. Pharmacol.* 205: 199-202, 1991.
51. Nibuya, M., Kanba, S., Kinoshita, N., Suzuki, E., Yagi, G., Nakaki, T. and Kato, R.: Effects of carbamazepine and ipsapirone on turnovers of monoamines in the rat brain *Jpn. J. Psychiat. Neurol.* 45, 127-128, 1991.
52. Shintani, F., Kanba, S., Maruo, N., Nakaki, T., Nibuya, M., Suzuki, E., Kinoshita, N. and Yagi, G.: Serum interleukin-6 in schizophrenic patients. *Life Sci.* 49: 661-664: 1991.
53. Kanba, S., Yagi, G., Oguchi, E., Nakaki, T., Kato, R. and Richelson, E.: Neuropharmacology of zotepine, an antimanic drug: a potent blocker of D2 and 5-HT<sub>2</sub> receptors of human brain. *Jpn. J. Psychiat. Neurol.* 45: 133-134, 1991.
54. Hishikawa, K., Nakaki, T., Suzuki, H., Saruta, T. and Kato, R.: Effect of systemic L-arginine administration on hemodynamics and nitric oxide release in man. *Jpn. Heart J.* 33: 41-48, 1992.
55. Hishikawa, K., Nakaki, T., Suzuki, H., Saruta, T. and Kato, R.: Transmural pressure inhibits nitric oxide release from human endothelial cells. *Eur. J. Pharmacol.* 215: 329-331, 1992.
56. Nakaki, T., Otsuka, Y., Nakayama, M. and Kato, R.: Endothelium-accelerated hyporesponsiveness of norepinephrine-elicited contraction of rat aorta in the presence of bacterial lipopolysaccharide. *Eur. J. Pharmacol.* 219: 311-318, 1992.
57. Hishikawa, K., Nakaki, T., Suzuki, H., Saruta, T. and Kato, R.: New method of investigating functional roles of pressure-sensitive mechanoreceptor in human endothelial cells. *J. Cardiovasc. Pharmacol.* 20: S66-S67, 1992.
58. Hishikawa, K., Nakaki, T., Suzuki, H., Kato, R. and Saruta, T.: L-arginine as an antihypertensive agent. *J. Cardiovasc. Pharmacol.* 20: S196-S197, 1992.
59. Sasakawa, N., Nakaki, T., Kashima, R., Kanba, S. and Kato, R.: Stimulus-induced accumulation of inositol tetrakis-, pentakis-, and hexakisphosphates in N1E-115 neuroblastoma cells. *J. Neurochem.* 58: 2116-2123, 1992.

60. Suzuki, H., Ikenaga, H., Hishikawa, K., Nakaki, T., Kato, R. and Saruta, T.: Increases in NO<sub>2</sub>/NO<sub>3</sub>- excretion in the urine as an indicator of the release of endothelium-derived relaxing factor during elevation of blood pressure. *Clin. Sci.* 82: 631-634, 1992.
61. Suzuki, E., Kanba, S., Nibuya, M., Koshikawa, H., Nakaki, T. and Yagi, G.: Plasma homovanillic acid, plasma anti-D1 and D2-dopamine receptor activity, and negative symptoms in chronically medicated schizophrenia. *Biol. Psychiat.* 31: 357-364, 1992.
62. Marumo, T., Nakaki, T., Suzuki, H., Saruta, T. and Kato, R.: Differential effects of bacterial lipopolysaccharide on interleukin-1 $\beta$ - and tumor necrosis factor- $\alpha$ -induced production of nitrite/nitrate in vascular smooth muscle cells. *Pharmacol. Commun.* 3: 193-200, 1993.
63. Hishikawa, K., Nakaki, T., Suzuki, H., Kato, R. and Saruta, T.: Role of L-arginine-nitric oxide pathway in hypertension. *J. Hypertension* 11: 639-646, 1993.
64. Sasakawa, N., Nakaki, T., Kashima, R. and Kato, R.: Increase in inositol tris-, pentakis- and hexakisphosphates by high K<sup>+</sup> stimulation in cultured rat cerebellar granule cells. *Brain Res.* 623: 155-160, 1993.
65. Shintani, F., Kanba, S., Nakaki, T., Nibuya, M., Kinoshita, N., Suzuki, E., Yagi, G., Kato, R. and Asai, M.: Interleukin-1 augments release of norepinephrine, dopamine and serotonin in the rat anterior hypothalamus. *J. Neurosci.* 13: 3574-3581, 1993.
66. Kasuga, A., Maruyama, T., Takei, I., Shimada, A., Kasatani, T., Watanabe, K., Saruta, T., Nakaki, T., Habu, S. and Miyazaki, J.: The role of cytotoxic macrophages in non-obese diabetic mice: cytotoxicity against murine mastocytoma and beta-cell lines. *Diabetologia* 36:1252-1257, 1993.
67. Marumo, T., Nakaki, T., Adachi, H., Esumi, H., Suzuki, H., Saruta, T. and Kato, R.: Nitric oxide synthase mRNA in endothelial cells: Synergistic induction by interferon- $\gamma$ , tumor necrosis factor- $\alpha$  and lipopolysaccharide, and inhibition by dexamethasone. *Jpn. J. Pharmacol.* 63: 361-367, 1993.
68. Marumo, T., Nakaki, T., Nagata, K., Miyata, M., Adachi, H., Esumi, H., Suzuki, H., Saruta, T. and Kato, R.: Dexamethasone inhibits nitric oxide synthase mRNA induction by interleukin-1 $\alpha$  and tumor necrosis factor- $\alpha$  in vascular smooth muscle cells. *Jpn. J. Pharmacol.* 63: 327-334, 1993.
69. Miyachi, E.-I, Kato, C. and Nakaki, T.: Arachidonic acid blocks gap junctions between retinal horizontal cells. *Neuroreport* 5: 485-488, 1994.

70. Hishikawa, K., Nakaki, T., Marumo, T., Hayashi, M., Suzuki, H., Kato, R. and Saruta, T.: Pressure promotes DNA synthesis in rat cultured vascular smooth muscle cells. *J. Clin. Invest.* 93: 1975-1980, 1994.
71. Shintani, F., Kanba, S., Nakaki, T., Sato, K., Yagi, G., Kato, R. and Asai, M.: Measurement by in vivo brain microdialysis of nitric oxide release in the rat cerebellum. *J. Psychiatr. Neurosci.* 19:217-221, 1994.
72. Shintani, F., Kanba, S., Nakaki, T., Nakamura, R., Sato, K., Yagi, G., Richelson, E., Kato, R. and Asai, M.: Inhibition by lithium of cyclic GMP formation without inhibition of nitric oxide generation in the mouse neuroblastoma cell (N1E-115). *Neuropsychopharmacology*, 11:119-124, 1994.
73. Kanba, S., Suzuki, E., Nomura, S., Nakaki, T., Yagi, G., Asai, M. and Richelson, E.: Affinity of neuroleptics for D1 receptor of human brain striatum. *J. Psychiatr. Neurosci.* 19: 265-269, 1994.
74. Hishikawa, K., Nakaki, T., Marumo, T., Suzuki, H., Kato, R. and Saruta, T.: Pressure enhances endothelin-1 release from cultured human endothelial cells. *Hypertension*, 25: 449-452, 1995.
75. Marumo, T., Nakaki, T., Hishikawa, K., Suzuki, H., Kato, R. and Saruta, T.: Cyclosporin A inhibits nitric oxide synthase induction in vascular smooth muscle cells. *Hypertension*, 25: 764-768, 1995.
76. Hishikawa, K., Nakaki, T., Marumo, T., Suzuki, H., Kato, R. and Saruta, T.: Up-regulation of nitric oxide synthase by estradiol in human aortic endothelial cells. *FEBS Lett.*, 360: 291-293, 1995.
77. Kasuga, A., Nakaki, T., Takei, I., Takayama, S., Ozawa, Y., Maruyama, T., Miyazaki, J. and Saruta, T.: Nitric oxide is important for mouse beta-cell line killing by peritoneal exudate cells obtained from cyclophosphamide treated non-obese diabetic mice. *Endocrin. J.* 42: 259-263, 1995.
78. Shintani, F., Nakaki, T., Kanba, S., Sato, K., Yagi, G., Shiozawa, M., Aiso, S., Kato, R. and Asai, M.: Involvement of interleukin-1 in immobilization-induced increase in plasma adrenocorticotrophic hormone and in release of hypothalamic monoamines in the rat. *J. Neurosci.* 15: 1961-1970, 1995.
79. Marumo, T., Nakaki, T., Hishikawa, K., Hirahashi, J., Suzuki, H., Kato, R. and Saruta, T.: Natriuretic peptide-augmented induction of nitric oxide synthase through cyclic GMP in vascular smooth muscle cells. *Endocrinology* 136: 2135-2142, 1995.
80. Hishikawa, K., Nakaki, T., Hirahashi, J., Marumo, T. and Saruta, T.: Tranilast inhibits the effect of platelet-derived growth factor on cell proliferation and induction of nitric oxide. *Eur. J. Pharmacol.-Mol. Pharmacol.*, 291: 435-438, 1995.

81. Shintani, F., Kinoshita, T., Kanba, S., Ishikawa, T., Suzuki, E., Sasakawa, N., Kato, R., Asai, M. and Nakaki, T.: Bioactive 6-nitronorepinephrine identified in mammalian brain. *J. Biol. Chem.*, 271: 13561-13565, 1996.
82. Hishikawa, K., Nakaki, T., Marumo, T., Hirahashi, J. and Saruta, T.: Tranilast restores cytokine-induced nitric oxide production against platelet-derived growth factor in vascular smooth muscle cells. *J. Cardiovasc. Pharmacol.*, 28: 200-208, 1996.
83. Hirahashi, J., Nakaki, T., Hishikawa, K., Marumo, T., Yasumori, T., Hayashi, M., Suzuki, H. and Saruta, T.: Endothelin-1 inhibits induction of nitric oxide synthase and GTP cyclohydrolase-I in rat mesangial cells. *Pharmacology*, 53: 241-249, 1996.
84. Suzuki, E., Shintani, F., Kanba, S., Asai, M. and Nakaki, T.: Induction of interleukin-1 and interleukin-1 receptor antagonist mRNA by chronic treatment with various psychotropics in widespread area of rat brain. *Neurosci. Lett.*, 215: 201-204, 1996.
85. Suzuki, E., Shintani, F., Kanba, S., Asai, M. and Nakaki, T.: Immobilization stress increases mRNA levels of interleukin-1 receptor antagonist in various rat brain regions. *Cell. Mol. Neurobiol.*, 17: 557-562, 1997.
86. Suzuki, E., Shintani, F., Nakaki, T., Nagata, K., Yamazoe, Y., Fujita, N., Asai, M., and Kanba, S.: Dexamethason and nitric oxide synthase gene expression in brain. *J. Psychiat. Neurosci.* 22: 105-110, 1997.
87. Wei, M. J., Nakaki, T., Shintani, F., Kanba, S., Yagi, G., Asai, M. and Kato, R.: Endothelium-dependent and -independent vasoactive actions of a Japanese Kampo medicine, Saiko-ka-ryukotsu-borei-to. *Biomed. Pharmacother.*, 51: 38-43, 1997.
88. Nosaka, S., Hashimoto, N., Sasaki, T., Ku, K., Saitoh, Y., Yamauchi, M., Tanabe, Y., Nakaki, T., Hishikawa, K., Masumura, S., Nakayama, K. and Tamura, K.: The effects of transmural pressure on prostacyclin release from porcine endocardial endothelial cells - comparison with vascular endothelial cells. *Pflugers Arch.* 433: 848-850, 1997.
89. Hirokawa, M., Miura, S., Shigematsu, T., Hokari, R., Higuchi, H., Watanaabe, N., Kurose, I., Saito, H., Nakaki, T., Ishii, H.: Pressure stimulates proliferation and DNA synthesis in rat intestinal epithelial cells. *Life Sci.* 61: 667-672, 1997.
90. Nakaki, T., Fujii, T., Suzuki, E., Shintani, F.: Endothelium-independent and -dependent vasoactivity of 6-nitronorepinephrine. *Eur. J. Pharmacol.* 357: 193-197, 1998.
91. Hirahashi, J., Nakaki, T., Hishikawa, K., Marumo, T., Hayashi, M., Saruta, T.: Endothelin ETA receptor antagonist reverses the inhibitory effect of platelet-derived growth factor on cytokine-induced nitric oxide production. *Eur. J. Pharmacol.* 365: 119-123, 1999.

92. Hishikawa, K., Oemar, B.S., Tanner, F.C., Nakaki, T., Fujii, T. and Luscher, T.F.: Overexpression of connective tissue growth factor gene induces apoptosis in human aortic smooth muscle cells. *Circulation* 100: 2108-2112, 1999.
93. Hishikawa, K., Nakaki, T. and Fujii, T.: Transforming growth factor- $\beta$  induces apoptosis via connective tissue growth factor in human aortic smooth muscle cells. *Eur. J. Pharmacol.* 385: 287-290, 1999.
94. Hishikawa, K., Oemar, B. S., Tanner, F. C., Luscher, T. F., Nakaki, T. and Fujii, T.: Connective tissue growth factor induces apoptosis in human breast cancer cell line MCF-7. *J. Biol. Chem.* 274: 37461-37466, 1999.
95. Nakaki T., Mishima A., Suzuki E., Shintani F. and Fujii T. .Glufosinate ammonium stimulates nitric oxide production through N- methyl D-aspartate receptors in rat cerebellum. *Neurosci Lett* 290:209-212, 2000.
96. Suzuki E., Yagi G., Nakaki T., Kanba S. and Asai M. Elevated plasma nitrate levels in depressive states. *J Affect Disord* 63:221-224, 2001.
97. Hishikawa K., Oemar B. S. and Nakaki T. Static pressure regulates connective tissue growth factor expression in human mesangial cells. *J Biol Chem* 276:16797-16803, 2001.
98. Matsumura N., Takeuchi C., Hishikawa K., Fujii T. and Nakaki T. Glufosinate ammonium induces convulsion through N-methyl D-aspartate receptors in mice. *Neurosci Lett* 304:123-125, 2001.
99. Mishima A., Fujii T., Matsumura N., Maruyama D., Hishikawa K. and Nakaki T. Nigrostriatal pathway laterality in unlesioned old female rats. *Neurosci Res Commun*., 2002.
100. Nakaki, T. Learning Adverse Drug Effects from Judicial Precedents. *Naunyn-Schmiedeberg's Arch. Pharmacol.* 366:30-32, 2002.
101. Suzuki E., Nakaki T., Shintani F., Kanba S. and Miyaoka H. Antipsychotic, antidepressant, anxiolytic, and anticonvulsant drugs induce type II nitric oxide synthase mRNA in rat brain. *Neurosci Lett* 333:217-219, 2002.
102. Ohashi K., Naruto M., Nakaki T. and Sano E. (2003) Identification of interleukin-8 converting enzyme as cathepsin L. *Biochem. Biochim. Acta* 1649:30-39.
103. Ohashi K., Sano E., Nakaki T. and Naruto M. (2003) Possible identity of IL-8 converting enzyme in human fibroblasts as a cysteine protease. *Int. Immunopharmacol.* 3:609-614.
104. Suzuki E., Nakaki T., Nakamura M. and Miyaoka H. (2003) Plasma nitrate

levels in deficit vs nondeficit forms of schizophrenia. *J Psychiat Neurosci* 28:288-292.

105 Tanaka K and Nakaki T (2004) Reduced renal ClC-5 Cl(-) channel expression in spontaneously hypertensive rats with microalbuminuria. *Eur J Pharmacol* 501:185-189.

106 Watabe M, Hishikawa K, Takayanagi A, Shimizu N and Nakaki T (2004) Caffeic acid phenethyl ester induces apoptosis by inhibition of NFkappaB and activation of Fas in human breast cancer MCF-7 cells. *J Biol Chem* 279:6017-6026.

107 Watabe M and Nakaki T (2004) Rotenone induces apoptosis via activation of bad in human dopaminergic SH-SY5Y cells. *J Pharmacol Exp Ther* 311:948-953.

108 Hishikawa K, Marumo T, Miura S, Nakanishi A, Matsuzaki Y, Shibata K, Ichiyanagi T, Kohike H, Komori T, Takahashi I, Takase O, Imai N, Yoshikawa M, Inowa T, Hayashi M, Nakaki T, Nakauchi H, Okano H and Fujita T (2005) Musculin/MyoR is expressed in kidney side population cells and can regulate their function. *J Cell Biol* 169:921-928.

109 Hishikawa K, Marumo T, Miura S, Nakanishi A, Matsuzaki Y, Shibata K, Kohike H, Komori T, Hayashi M, Nakaki T, Nakauchi H, Okano H and Fujita T (2005) Leukemia inhibitory factor induces multi-lineage differentiation of adult stem-like cells in kidney via kidney-specific cadherin 16. *Biochem Biophys Res Commun* 328:288-291.

110 Hishikawa K, Nakaki T and Fujita T (2005) Oral flavonoid supplementation attenuates atherosclerosis development in apolipoprotein E-deficient mice. *Arterioscler Thromb Vasc Biol* 25:442-446.

111 Yamada K, Suzuki E, Nakaki T, Watanabe S and Kanba S (2005) Aconiti tuber increases plasma nitrite and nitrate levels in humans. *J Ethnopharmacol* 96:165-169.

112 Shimojima N, Nakaki T, Morikawa Y, Hoshino K and Kitajima M (2005) Imatinib Blocks Spontaneous Mechanical Activities in the Adult Mouse Small Intestine: Possible Inhibition of c-Kit Signaling. *Pharmacology* 74:95-99.

113 Shimojima N, Nakaki T, Morikawa Y, Hoshino K, Ozaki H, Hori M and Kitajima M (2006) Interstitial Cells of Cajal in Dysmotility in Intestinal Ischemia and Reperfusion Injury in Rats. *J Surg Res* 135:255-261.

114 Watabe M and Nakaki T (2006) ATP Depletion Does not Account for Apoptosis Induced by Inhibition of Mitochondrial Electron Transport Chain in Human Dopaminergic Cells. *Neuropharmacology*:in press.

## Book chapters (written in English)

1. Kato, R., Yamamoto, S., Nakadate, T. and Nakaki, T.: Possible involvement of phospholipase A2 activation and lipoxygenase product(s) in the mechanism of insulin secretion. *Advances in Prostaglandin, Thromboxane and Leukotriene B.*, Eds.: Samuelsson, B., Ramwell, P. and Paoletti, R., 265-270, New York, Raven Press, 1983.
2. Kato, R. and Nakaki, T.: Alpha-2 adrenoceptors beyond cAMP generation: Islets of Langerhans and intestinal epithelium. *Receptors Again*, Eds.: Lambie, J. W. and Abbott, A. C., 86-90, Oxford, Elsevier, 1984.
3. Roth, B. L., Nakaki, T., Chuang, D. M. and Costa, E.: Evidence for an endocoid for the 5HT2 recognition site. *Progress in Clinical and Biological Research* 192, Eds.: Lal, H., LaBella, F. and Lane, J., 473-476, New York, Alan R. Liss, Inc., 1985.
4. Nakaki, T., Yamamoto, S., Nakayama, M. and Kato, R.: Inhibition by endothelium-derived relaxing factor and nitric oxide-producing vasodilators of DNA synthesis in vascular smooth muscle cells. *Biosignalling in Cardiac and Vascular Systems*, Eds.: Fujiwara, M., Narumiya, S. and Miwa, S., 66-69, Tokyo, Pergamon Press, 1989.
5. Sasakawa, N., Nakaki, T. and Kato, R.: Dynamic aspects of inositol polyphosphate metabolism in cultured adrenal chromaffin cells. *Clin. Neuropharmacol.* 13, suppl. 2, Eds.: Yamashita, I., Toru, M. and Coppen, A. J., 637-638, New York, Raven Press, 1990.
6. Sasakawa, N., Nakaki, T. and Kato, R.: Formation of inositol polyphosphates in cultured adrenal chromaffin cells. *Neuroreceptor Mechanisms in Brain* 287, Eds.: Kito, S., Segawa, T. and Olsen, R. W., 111-123, New York, Plenum Press, 1991.
7. Kanba, S., Suzuki, E., Koshikawa, H., Nibuya, M., Ishizuki, T., Hara, H., Kohono, H., Konoshita, F., Koshiishi, M., Kinoshita, N., Shintani, F., Yagi, G., Nakaki, T. and Kato, R. Plasma homovanillic acid, serum anti-D1 and anti-D2 receptor activity and psychopathology in schizophrenia. in *Biological Basis of Schizophrenic Disorders*. Ed by Nakazawa, T., Jpn. Sci. Soc. Press, Tokyo, vol. 14, p159-165, 1991.
8. Nakaki, T., Hishikawa, K., Suzuki, H., Saruta, T. and Kato, R.: L-Arginine-induced changes in haemodynamics in man. *The Biology of Nitric Oxide*, Eds.: Moncada, S., Marletta, M. A., Hibbs, J. B., Jr. and Higgs, E. A., 351-352, London, Portland Press, 1992.
9. Sasakawa, N., Nakaki, T. and Kato, R.: Characterization of inositol phosphate by HPLC. *Methods Neurosci.*, vol. 18, in *Lipid Metabolism in Signaling System*, Ed.: Fain, J. N., 213-223, New York, Academic Press, 1993.

10. Sasakawa, N., Nakaki, T. and Kato, R.: Characteristics of inositol polyphosphate metabolism in cultured adrenal chromaffin cells. in *Progress in Neuro-Psychopharmacology and Biological Psychiatry.*, vol. 17, Ed: Chawla, S., 825-834, London, Pergamon Press, 1993.
11. Nakaki, T.: Diminished NO: A cause or an effect of hypertension? in *Organ Microcirculation: Bridging between Basic and Clinical Sciences*, Ed.: Tsuchiya, M., Katori, M. and Suematsu, M., 71-76, Tokyo, Excerpta Medica, 1996.
12. Nakaki, T., F. Shintani, E. Suzuki, S. Kanba, and M. Asai. 1997. Bioactive 6-nitronorepinephrine formation requiring nitric oxide synthase in mammalian brain. In *Oxygen Homeostasis and Its Dynamics*. Y. Ishimura, Shimada, H. and Suematsu, M., editor. Springer, Tokyo. 510-517.

Book chapters (written in Japanese)

1. 中木敏夫:  $\beta$ アドレナリンレセプター。レセプター 基礎と臨床、井村裕夫、岡哲男、芳賀達也、岸本英爾編、439-445、東京、朝倉書店、1993.
2. 加藤隆一、中木敏夫: 細胞における酵素活性の測定によるレセプターの研究。レセプター 基礎と臨床、井村裕夫、岡哲男、芳賀達也、岸本英爾編、225-234、東京、朝倉書店、1993.
3. 中木敏夫、加藤隆一: アデニレートシクラーゼ系・cAMP。生体における情報伝達、西塚泰美、田中千賀子編、176-181、東京、南江堂、1993.
4. 中木敏夫: 薬理学・麻酔科ベーシック、東京、稲田英一、津崎晃一、安田信彦監訳。東京、メディカル・サイエンス・インターナショナル、1996.
5. 神庭重信、新谷太、鈴木映二、中木敏夫: 脳内ストレス応答におけるインターロイキン-1の関与。感情障害と神経・免疫・内分泌 - 脳の世紀に向けて - 山脇成人編、71-79、東京、新興医学出版、1997.
6. 中木敏夫: ナトリウム利尿ペプチド、NO および CO。医系薬理学、遠藤 仁、橋本敬太郎、後藤勝年編、178-185、東京、中外医学社、1997.
7. 中木敏夫: 一酸化窒素の標的分子と生体機能、心血管病態と NO、島田和幸、池田康夫、大熊稔、日高弘義、丸山征郎編、1-11、京都、金芳堂、1998.
8. 中木敏夫: 静脈麻酔薬の薬物動態と薬力学。TIVA: 全静脈麻酔の理論と実際、津崎晃一監訳。東京、メディカル・サイエンス・インターナショナル、1999.
9. 中木敏夫: NO合成酵素阻害薬、NO消去薬、NO供与薬、NOの生理作用と疾患、谷口直之、鈴木敬一郎編、pp 94-100、東京、羊土社、1999.
10. 中木敏夫: NOと利尿ホルモン、最先端創薬、長尾拓、成宮周、加藤隆一、宮本英七編、1119-1124、共立出版、2000.
11. 中木敏夫 (2004a) タンパク質合成阻害薬、イラスト薬理学 (柳沢輝行、丸山 敬 編) pp 360-372、丸善、東京.
12. 中木敏夫 (2004b) 症例研究, in イラスト薬理学 (柳沢輝行、丸山 敬 編) pp 521-534、丸善、東京.
13. 中木敏夫 (2005a) アミノグリコシド、スペクチノマイシン。カッツング薬理学 (柳沢輝行、飯野正光、丸山 敬、三澤美和編)、丸善、東京.

14. 中木敏夫 (2005b) サルファ薬、トリメトプリム、キノロン. カッシング薬理学 (柳沢輝行、飯野正光、丸山 敬、三澤美和編)、丸善, 東京.
15. 中木敏夫 (2005c) 一酸化窒素の薬理. カッシング薬理学 (柳沢輝行、飯野正光、丸山 敬、三澤美和編)、丸善, 東京.
16. 中木敏夫 (2005a) 受容体, 神経薬理学 (樋口宗史監訳 ) pp 57-76, メディカルサイエンスインターナショナル, 東京.
17. 中木敏夫 (2005b) 神経・精神疾患の治療, 神経薬理学 (樋口宗史監訳 ed) pp 327-351, メディカルサイエンスインターナショナル, 東京.

Review articles (written in Japanese)

1. 中木敏夫: 血管平滑筋収縮におけるカルシウムチャンネルとホスホリパーゼ C の役割。血管 9: 143-148, 1986.
2. 中木敏夫、山本慧、加藤隆一: アルファ受容体と膵内分泌機能。最新医学 41: 824-830, 1986.
3. 加藤隆一、笹川展幸、中木敏夫: ホスホリパーゼ C 活性化によるイノシトールリン酸動態。細胞工学 12: 1069-1078, 1989.
4. 中木敏夫: 頻用薬剤の血中濃度モニタリングシステムと日常臨床。診断と治療 78 増刊号: 688-698, 1990.
5. 丹生谷正史、神庭重信、木下徳久、鈴木映二、八木剛平、中木敏夫、加藤隆一: 5-HT<sub>1A</sub> 作動薬(ipsapirone)によるラット脳内モノアミン代謝回転の変動。脳と精神の医学 2: 327-331, 1991.
6. 中木敏夫、加藤隆一: EDRF と薬物感受性。血管と内皮 2: 353-358, 1992.
7. 中木敏夫、加藤隆一: 一酸化窒素の血液循環における役割。医学のあゆみ 166: 152-154, 1993.
8. 中木敏夫、加藤隆一: 内皮により加速される血管平滑筋 NO 生成酵素誘導。病態生理 12: 724-726, 1993.
9. 中木敏夫: アルギニンの効果[II]: 末梢循環。輸液と栄養 17: 1-6, 1993.
10. 菱川慶一、丸茂丈史、鈴木洋通、猿田享男、中木敏夫、加藤隆一: 血管内皮細胞および平滑筋細胞の圧感受性 mechanoreception。血管 16: 137-141, 1993.
11. 新谷 太、中木敏夫、佐藤耕一、神庭重信、八木剛平、加藤隆一、浅井昌弘: 拘束ストレスによる視床下部におけるモノアミン代謝の亢進ならびに血漿 ACTH の増加におけるインターロイキン-1 の関与。脳と精神の医学 5: 87-95, 1994.
12. 中木敏夫、加藤隆一: 敗血症性ショックと NO。医学のあゆみ 170: 334-339, 1994.
13. 新谷 太、中木敏夫、加藤隆一: 脳マイクロダイアリス法 の 2 つの応用例 - 側管からの薬物脳内投与法と脳内 NO 産生量の測定法。日薬理誌 104: 425-431, 1994.

14. 中木敏夫: 血管における L-アルギニン-nitric oxide 系の役割。医学と薬学 32: 1120-1129, 1994.
15. 中木敏夫、加藤隆一: 血管壁における圧力と血管再構築。血管 18: 31-35, 1995.
16. 中木敏夫: プロポフォル。LiSA 1(1): 2-9, 1994.
17. 中木敏夫: フルマゼニル。LiSA 1(2): 2-6, 1994.
18. 中木敏夫: NO のシグナル伝達。医学のあゆみ 175: 300-304, 1995.
19. 中木敏夫: モルヒネとオピオイド鎮痛薬。LiSA 2(1):1-9, 1995.
20. 中木敏夫: アムリノン。LiSA 2(2): 2-9, 1995.
21. 中木敏夫: 一酸化窒素(NO)。LiSA 2(4): 2-9, 1995.
22. 中木敏夫: エピネフリン。LiSA 2(9): 2-7, 1995.
23. 中木敏夫: 笑気(亜酸化窒素)。LiSA 2(11):16-18, 1995.
24. 中木敏夫: 新薬ができるまで。LiSA 3:621-623, 1996.
25. 中木敏夫: 血管内皮細胞・血管平滑筋細胞と NO。Surgery Frontier 3: 17-22, 1996.
26. 平橋淳一、中木敏夫、菱川慶一、丸茂丈史、猿田享男: エンドセリンのメサンギウム細胞 NO 生成酵素誘導に対する抑制効果。血管, 19: 67-75, 1996.
27. 中木敏夫: 血管系における NO の意義。ホルモンと臨床, 44: 17-24, 1996.
28. 中木敏夫: NO 吸入療法。呼吸と循環, 45: 671-677, 1997.
29. 中木敏夫: 一酸化窒素の生体内標的分子と機能。帝京医学雑誌 20: 413-421, 1997.
30. 中木敏夫: 血管トーンスに対する柴胡加竜骨牡蛎湯の内皮依存性および非依存性作用。Progress in Medicine 18: 710-714, 1998.
31. 中木敏夫: 呼吸器疾患治療薬。臨床看護 24: 786-792, 1998.

32. 中木敏夫: 高血圧とNO. 臨床神経科学 16: 90-93, 1998.
33. 中木敏夫, 藤井儔子: 生体内ニトロ化, ニトロソ化, ニトロシル化による機能修飾. 日薬理誌 112: 161-168, 1998.
34. 中木敏夫: ニトロプルシドナトリウム. LiSA 5: 872-876, 1998.
35. 中木敏夫: 強心薬はなぜ効くか. ハートナーシング 12:276-282, 1999.
36. 藤井儔子, 中木敏夫: 農薬汚染と周産期 29: 11-17, 1999.
37. 中木敏夫: ミダゾラム. LiSA 7:114-119, 2000.
38. 中木敏夫: 可溶性グアニル酸シクラーゼ. 日本臨床 58(増刊): 230-234, 2000.
39. 中木敏夫: NO 再び. LiSA 8:576-589, 2001.
40. 中木敏夫 (2004) グルタミン酸受容体. LiSA 11:665-682.
41. 中木敏夫 (2004) ヘルシンキ宣言. 臨床整形外科 39:1434-1436.
42. 中木敏夫 (2005) アドレナリン受容体拮抗薬の薬理学概要. 臨床麻酔 29:1424-1432.
43. 中木敏夫 (2005) 薬物の血中濃度をはかる. LiSA 12:1199-1211.
44. 中木敏夫 (2005) 薬物相互作用:共通の代謝酵素をもつ薬を併用するときの注意点. 日集中医誌 12:179-181.
45. 中木敏夫 (2007) 慢性疼痛に対する抗うつ薬, ベンゾジアゼピン系薬および抗けいれん薬の臨床試験成績. 臨床精神薬理 10.
46. 渡部正彦, 青山晃治, 中木敏夫 (2006) GTRAP3-18 を介した細胞内グルタミン酸濃度の調節機構. 帝京医学雑誌 29:227-230.

Original articles (written in Japanese)

1. 中木敏夫, 松村喜一郎, 古井 滋(2006) 生体認証を用いた医学生の出欠管理の試み. 医学教育 37:299-304.